# SEQUENCE LISTING

(ix) FEATURE:

5	(1) GENE	RAL INFORMATION:
3	(i)	APPLICANT: John J. Castellot, Jr.
10	(ii)	TITLE OF INVENTION: Novel Heparin-Induced CCN-Like Molecules and Uses Therefor
10	(iii)	NUMBER OF SEQUENCES: 13
15	(iv)	CORRESPONDENCE ADDRESS:  (A) ADDRESSEE: LAHIVE & COCKFIELD, LLP  (B) STREET: 28 State Street  (C) CITY: Boston  (D) STATE: Massachusetts  (E) COUNTRY: USA  (F) ZIP: 02109
20	()	
25	(V)	COMPUTER READABLE FORM:  (A) MEDIUM TYPE: Floppy disk  (B) COMPUTER: IBM PC compatible  (C) OPERATING SYSTEM: PC-DOS/MS-DOS  (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
30	(vi)	CURRENT APPLICATION DATA:  (A) APPLICATION NUMBER:  (B) FILING DATE:  (C) CLASSIFICATION:
	(vii)	PRIOR APPLICATION DATA:
35	ß	(A) APPLICATION NUMBER: (B) FILING DATE:
33	(viii)	ATTORNEY/AGENT INFORMATION:  (A) NAME: Amy E. Mandragouras  (B) REGISTRATION NUMBER: 36,207  (C) REFERENCE/DOCKET NUMBER: MBI-004
40	(ix)	TELECOMMUNICATION INFORMATION: (A) TELEPHONE: (617)227-7400 (B) TELEFAX: (617)742-4214
45	(2) INFO	RMATION FOR SEQ ID NO:1:
50	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1708 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear
55	(ii)	MOLECULE TYPE: cDNA

(A) NAME/KEY: CDS

(B) LOCATION: 249...1001


5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
	GACGCTTCTG ATCTCCAGAG GACCCTGGGG TGGGACAGGG GCCTTGGCAA GGCTGCAGCC	60
10	GCTGGGCAGT GGCTTGGAAT GGAGGTCTTT ATTACTGGGA ACTGAGGAGC TAAGAGGCTC	120
10	CTGTCAGCTT GTCCTAAAGT CTTAGCACTT GTGGTGGCTT GGGCTTCACA CACTGTCAGA	180
	CACCTTCGTG GTGGCCTCCA CGGCCTCACC TTCAGGTTTG AAGCTGGCTC CACAAGGGAC	240
15	ACGGTGAC ATG AGG GGC AGC CCA CTG ATC CAT CTT CTG GCC ACT TCC TTC  Met Arg Gly Ser Pro Leu Ile His Leu Leu Ala Thr Ser Phe  1 5 10	290
20	CTC TGC CTT CTC TCA ATG GTG TGT GCC CAG CTG TGC CGG ACA CCC TGT Leu Cys Leu Leu Ser Met Val Cys Ala Gln Leu Cys Arg Thr Pro Cys 20 25 30	338
25	ACC TGT CCT TGG ACA CCA CCC CAG TGC CCA CAG GGG GTA CCC CTG GTG Thr Cys Pro Trp Thr Pro Pro Gln Cys Pro Gln Gly Val Pro Leu Val 35 40 45	386
20	CTG GAT GGC TGT GGC TGT AAA GTG TGT GCA CGG AGG CTG GGG GAG Leu Asp Gly Cys Gly Cys Cys Lys Val Cys Ala Arg Arg Leu Gly Glu 50 55 60	434
30	TCC TGC GAC CAC CTG CAT GTC TGC GAC CCC AGC CAG GGC CTG GTT TGT Ser Cys Asp His Leu His Val Cys Asp Pro Ser Gln Gly Leu Val Cys 65 70 75	482
35	CAG CCT GGG GCA GGC CCT GGC GGC CAT GGG GCT GTG TGT CTC TTG GAT Gln Pro Gly Ala Gly Pro Gly Gly His Gly Ala Val Cys Leu Leu Asp 80 85 90	530
40	GAG GAT GAC GGT AGC TGT GAG GTG AAT GGC CGC AGG TAC CTG GAT GGA Glu Asp Asp Gly Ser Cys Glu Val Asn Gly Arg Arg Tyr Leu Asp Gly 95 100 105 110	578
45	GAG ACC TTT AAA CCC AAT TGC AGG GTC CTG TGC CGC TGT GAT GAC GGT Glu Thr Phe Lys Pro Asn Cys Arg Val Leu Cys Arg Cys Asp Asp Gly 115 120 125	626.
50	GGC TTC ACC TGC CTG CCG CTG TGC AGT GAG GAT GTG CGG CTG CCC AGC Gly Phe Thr Cys Leu Pro Leu Cys Ser Glu Asp Val Arg Leu Pro Ser 130	674
50	TGG GAC TGC CCA CGC CCC AAG AGA ATA CAG GTG CCA GGA AAG TGC TGC Trp Asp Cys Pro Arg Pro Lys Arg Ile Gln Val Pro Gly Lys Cys 145 150 155	722
55	CCC GAG TGG GTA TGT GAC CAG GGA GTG ACA CCG GCG ATC CAG CGC TCC Pro Glu Trp Val Cys Asp Gln Gly Val Thr Pro Ala Ile Gln Arg Ser 160 165 170	770

50

				GGA Gly													818
5	GAT			TGT Cys												ACC	866
10				CTG Leu 210													914
15				GAG Glu													962
20	_	_		AGC Ser									TAAC	GCC2	AAC		1008
	TGG	GGATO	GCG (	GATAC	CAGGO	GC C	rgcci	ATCCI	CAC	GCAAA	ATGA	CCCI	ragga	ACC A	AGGC	CCTGGA	1068
25	CTG	TGGT	rag A	ATGCT	CTTC	CT CO	CATGO	CTCTI	GGC	CTGC	AGTT	AACI	rgtco	CTG (	CTTGO	GATTCA	1128
<b>2</b> <i>3</i>	CTGT	rgtac	GAG (	CCACI	rgago	CG A	rccci	rgcto	TGT	rctg <i>i</i>	AGGT	AGGC	CGGAC	GCA (	GGTGA	ACCAGC	1188
	TCC	AGTTC	CTC T	rggti	rcago	CC TO	GGAAT	TCT	GGT	rtctc	CCTG	GCT	CATTO	CCT (	CAAAA	ACATCC	1248
30	CTGT	racaz	AAA A	AGGAC	CAAC	CA A	AAAGA	ACCTI	TA	AACCI	TAGG	CTAT	TACTO	GG (	CAAAC	CCTGGC	1308
	CAC	CGTGC	CTG (	GGGAT	raago	GT CA	AATGI	TAGG	ACC	CAGAC	CAGC	AGAT	TGCC	CTG A	AAACI	TCCAA	1368
35	TTC	CCTTC	CTT (	GGAC1	TCTC	GT A	rgcti	rgtco	CCA	AAAGA	ATGA	TGA	ATGAZ	ACT (	CGTAA	AGTGTA	1428
33	CCT	rccci	rga (	CCTGA	AGAA	CA CO	CCTGC	CCTGC	TCC	GGAA	AGTA	TTC	AGGGC	GCA (	GAATI	CTCTG	1488
	TGA	ACATO	SAA (	GAGAT	rgaa:	rc a	CACTO	STCCI	TAZ	AGAAA	ATTC	CTGA	\AAG1	rcc A	AGGA	ACTTGA	1548
40	GCT	rtgt <i>i</i>	ATT ?	TTCAC	GGAAT	rg cz	ACATO	CTCTI	C AAC	GCACI	rcgc	AAA	ACAGO	GAA (	GGCTC	CCACAC	1608
•	CTC	rggc <i>i</i>	AGG (	CCAGO	GGCC	TT TO	CTCTI	rcago	TATO	GAGAA	AAGA	CAAC	GGA	CAG (	CAGAG	TACTC	1668
45	TCC	rctgo	GAG (	GACTA	AGTC	ra go	CCTAC	SAATA	AAA	CACCO	CAAA						1708

### (2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 250 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein 55
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:



(ii) MOLECULE TYPE: cDNA

## (ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..750

5

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

10				ATC Ile					48
15				GCC Ala					96
20				TGC Cys					144
20	_	_		GTG Val 55	_				192
25				GAC Asp					240
30				CAT His					288
35				AAT Asn					336
40				GTC Val					384
10	_			AGT Ser 135					432
45				ATA Ile					480
50				GTG Val					528
55				GCC Ala					576

						Ser						 			 624
5						ACC Thr									672
10						CGC Arg 230									720
15						TGG Trp					TAA				753
20	(2)		) SE( ( <i>I</i>	QUENC A) LI B) T	CE CI ENGTI YPE:	SEQ HARAC H: 8 amir DGY:	CTERI amir	ISTIC no ac	CS:	•			•		
25						PE:			L						
30						ESCRI s Cys					0:4:				
35	(2)	1				_				,					
40		(i)	( <i>I</i> (E	A) LE 3) TY C) ST	ENGTI (PE : [RANI	HARACH: 17 nucl DEDNE DGY:	77 ba Leic ESS:	ase p acid sing	pairs 1	5				-	
45		(ii)	MOI	LECUI	LE TY	PE:	CDNA	Ţ							
50		(ix)	( ]		AME/F	KEY:		L77							
		(xi)	SEÇ	QUENC	CE DE	ESCRI	PTIC	ON: S	SEQ I	D NO	):5:				
55						CGC Arg									48

					Leu												96
5 .					GAG Glu												144
10					CAG Gln												177
15	(2)			SEQUI	FOR ENCE LEN	CHAI	RACTI	ERIS	rics								
20		(:	ii) M	(B)	TYI	PE: 8	amino	o ac: linea	id ar	JIUS							
		(:	xi) s	SEQUI	ENCE	DESC	CRIP	rion	: SEÇ	Q ID	NO : 6	5:					
25	Cys 1	Glu	Val	Asn	Gly 5	Arg	Arg	Tyr	Leu	Asp 10	Gly	Glu	Thr	Phe	Lys 15	Pro	
2.0	Asn	Сув	Arg	Val 20	Leu	Cys	Arg	Cys	Asp 25	Asp	Gly	Gly	Phe	Thr 30	Cys	Leu	
30	Pro	Leu	Cys 35	Ser	Glu	Asp	Val	Arg 40	Leu	Pro	Ser	Trp	Asp 45	Cys	Pro	Arg	
35	Pro	Lys 50	Arg	Ile	Gln	Val	Pro 55	Gly	Lys	Cys	Cys						
	(2)	INF	ORMA	rion	FOR	SEQ	ID 1	NO : 7	:								
40		(i)	(1	A) LI 3) T	CE CH ENGTH YPE: OPOLO	4: 19 amin	5 am:	ino a		5							
45		(ii)	) MO1	LECUI	LE T	YPE:	pept	tide									
		(v)	) FR	AGMEI	NT TY	YPE:	inte	ernal	1								
50		(xi)	) SE	QUENC	CE DI	ESCR:	IPTIO	: : NC	SEQ I	ID NO	D:7:						
		Trj 1	p Xaa	a Xaa	a Cys	S Ser	r Xaa	a Xaa	a Cys	s Gly	/ Xaa	a Gly	/ Xaa	a Xaa	a Thi	Arg	
55	(2)	INF	ORMA'	rion	FOR	SEQ	ID 1	8 : OV	:								
		(i)	) SE	QUEN	CE CI	IARA(	CTER	ISTI	CS:								

			(1	A) L1 B) T1 C) S1	YPE : TRANI	nuc: DEDNI	leic ESS:	acio	d	s								
5		(ii)		D) TO														
10		(ix)	(2	ATURI A) NI B) L(	AME/I			210									•	
15		(xi)	) SE(	QUENC	CE DI	ESCR	IPTIO	ON: S	SEQ :	ID NO	D:8:							
	_			CGG Arg	_												•	48
20				GTA Val 20					Asp	Gly	Cys	Gly		Cys			:	96
25				AGG Arg													14	44
30				GGC Gly													19	92
35				TGT Cys													23	10
	(2)	INFO	ORMA'	rion	FOR	SEQ	ID 1	NO : 9	:									
40			(i) \$		LEI TYI	NGTH:	: 70 amino	amir o aci	no ad id									
45				MOLE( SEQUI						O ID	NO: 9	9:						
50	Gln 1	Leu	Cys	Arg	Thr 5	Pro	Cys	Thr	Cys	Pro 10	Trp	Thr	Pro	Pro	Gln 15	Cys		
	Pro	Gln	Gly	Val 20	Pro	Leu	Val	Leu	Asp 25	Gly	Cys	Gly	Cys	Cys 30	Lys	Val		
55	Cys	Ala	Arg 35	Arg	Leu	Gly	Glu	Ser 40	Cys	Asp	His	Leu	His 45	Val	Cys	Asp		
	Pro	Ser	Gln	Glv	Len	Val	Cvs	Gln	Pro	Glv	Δla	Glv	Pro	Glv	Glv	Hic		

-71-

55 50 60 Gly Ala Val Cys Leu Leu 65 70 5 (2) INFORMATION FOR SEQ ID NO:10: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 174 base pairs 10 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA 15 (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1..174 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10: CCT TGT CCA AAT TGG AGC ACA GCC TGG GGC CCC TGC TCA ACC ACC TGT 48 25 Pro Cys Pro Asn Trp Ser Thr Ala Trp Gly Pro Cys Ser Thr Thr Cys 5 1 10 15 GGG CTG GGC ATA GCC ACC CGA GTG TCC AAC CAG AAC CGA TTC TGC CAA 96 Gly Leu Gly Ile Ala Thr Arg Val Ser Asn Gln Asn Arg Phe Cys Gln 30 20 25 30 CTG GAG ATC CAA CGC CGC CTG TGT CTG CCC AGA CCC TGC CTG GCA GCC 144 Leu Glu Ile Gln Arg Arg Leu Cys Leu Pro Arg Pro Cys Leu Ala Ala 35 40 45 35 AGG AGC CAC AGC TCA TGG AAC AGT GCT TTC 174 Arg Ser His Ser Ser Trp Asn Ser Ala Phe 40 (2) INFORMATION FOR SEQ ID NO:11: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 58 amino acids 45 (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: protein 50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Pro Cys Pro Asn Trp Ser Thr Ala Trp Gly Pro Cys Ser Thr Thr Cys
1 5 10 15

55 Gly Leu Gly Ile Ala Thr Arg Val Ser Asn Gln Asn Arg Phe Cys Gln 20 25 30

55

115

10



Leu Glu Ile Gln Arg Arg Leu Cys Leu Pro Arg Pro Cys Leu Ala Ala 35 40 45

Arg Ser His Ser Ser Trp Asn Ser Ala Phe 5 55

#### (2) INFORMATION FOR SEQ ID NO:12:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 681 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## 15 (ii) MOLECULE TYPE: cDNA

#### (ix) FEATURE:

- (A) NAME/KEY: CDS
- 20 (B) LOCATION: 1..681

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

25										CCT Pro 10							48
30										GGC Gly							96
35										GAC Asp							144
40										GGG Gly							192
40										GAC Asp							240
45										TTT Phe 90							288
50										ACC Thr							336
	GAG	GAT	GTG	CGG	CTG	CCC	AGC	TGG	GAC	TGC	CCA	CGC	CCC	AAG	AGA	ATA	384

Glu Asp Val Arg Leu Pro Ser Trp Asp Cys Pro Arg Pro Lys Arg Ile

125

120



				_							GTA Val						432
5	_										GGA Gly 155						480
10		_	_		_		_				TGT Cys						528
15											CTG Leu						576
20	_			_							GAG Gl·u						624
											AGC Ser						672
25		GCT Ala															681
30	(2)	INFO	ORMAT	rion	FOR	SEQ	ID N	10:13	·:		-						
35			(i) S	(B)	LEN TYI	CHAR NGTH: PE: &	227 amino	ami aci	.no a .d		3						
		( :	Li) N	OLEC	CULE	TYPE	E: pr	otei	.n								
40	Cln										NO:1		Duo	Dece	Q1	Com	
	1	ьец	Cys	Arg	5	PIO	Cys	1111	Cys	10	Trp	III	PIO	PIO	15	Cys	
45	Pro	Gln	Gly	Val 20	Pro	Leu	Val	Leu	Asp 25	Gly	Cys	Gly	Cys	Cys 30	Lys	Val	
	Cys	Ala	Arg 35	Arg	Leu	Gly	Glu	Ser 40	Cys	Asp	His	Leu	His 45	Val	Cys	Asp	
50	Pro	Ser 50	Gln	Gly	Leu	Val	Cys 55	Gln	Pro	Gly	Ala	Gly 60	Pro	Gly	Gly	His	
55	Gly 65	Ala	Val	Cys	Leu	Leu 70	Asp	Glu	Asp	Asp	Gly 75	Ser	Cys	Glu	Val	Asn 80	

